	Application No.	Applicant(s)
	Application No.	_ Applicalit(s)
Notice of Allowability	09/677,802	INOUE ET AL.
	Examiner	Art Unit
	Gims S. Philippe	2613
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this or other appropriate communicat GHTS. This application is subject	application. If not included tion will be mailed in due course. THIS
1. This communication is responsive to <u>amendment filed on N</u>	lovember 1 st , 2005.	
2. The allowed claim(s) is/are <u>1,2,4-6,8,10,11,13-15 and 17</u> .		
 3. Acknowledgment is made of a claim for foreign priority unall a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 		
2. Certified copies of the priority documents have been received in Application No		
Copies of the certified copies of the priority documents have been received in Application No Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	ENT of this application.	
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") mus	t be submitted.	
(a) ☐ including changes required by the Notice of Draftspers	on's Patent Drawing Review (PT	O-948) attached
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the	e Office action of
Identifying indicia such as the application number (see 37 CFR 1, each sheet. Replacement sheet(s) should be labeled as such in the		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. Notice of References Cited (PTO-892)	5. ☐ Notice of Informa	al Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. X Interview Summa	* * * * * * * * * * * * * * * * * * * *
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. X Examiner's State	ement of Reasons for Allowance
-	9.	

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Richard Katz on December 6th 2005.

The application has been amended as follows:

Cancel claim 18.

Allowable Subject Matter

2. After a further search and a thorough examination of the present application and in light of the Applicant's arguments and in light of the prior art made of record, claims 1-2, 4-6, 8, 10-11, 13-15, and 17 are found to be in condition for allowance.

Reasons for Allowance

3. The following is an Examiner's statement of reasons for the indication of allowable subject matter:

The claims are allowable over the prior art of record since the cited reference taken individually or in combination fails to particularly disclose a method and apparatus for detecting scene change including a feature quantity extracting unit which extracts a

feature quantity based on top and bottom double data in vertical direction of an image with respect to a field structure image when a judgment result of an image structure judging unit is a frame structure, and a scene change judging unit operable to judge a scene change by use of the quantity of variation calculated by an extracted data comparing unit.

It is noted that the closest prior art of record (Nagai US Patent no. 5,642,239) teaches a similar apparatus for detecting scene change, however, Nagai fails to particularly teach or suggest "extracting a feature quantity based on top and bottom double data in vertical direction of an image with respect to a field structure image when a judgment result of an image structure judging unit is a frame structure, and judging a scene change by use of the quantity of variation calculated by an extracted data comparing unit" as specified in the claims.

Conclusion

3. Any comments considered necessary by applicant must be submitted no later than the payment of issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submission should be clearly labeled "Comments on Statement of Reasons for Allowance".

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gims S. Philippe whose telephone number is (571) 272-7336. The examiner can normally be reached on M-F (10:30-7:00).

Application/Control Number: 09/677,802 Page 4

Art Unit: 2613

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dastouri S. Mehrdad can be reached on (571) 272-7418. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Gims S Philippe Primary Examiner Art Unit 2613

GSP

December 6th 2005